

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 1
 Release : V2R7M0
 As of : 2022-06-03

| <u>PTF ID</u> | <u>Description</u> | <u>Status</u> <u>mm/dd/yy</u> | <u>Superseded</u> <u>By</u> |
|---------------|--|----------------------------------|--------------------------------|
| 2M70ALL | Cumulative PTF Package Last Updated 2022/06/03 | | |
| 2M70001 | SM1 Minor Ensum Editorial Change o Minor Enhancement Summary Correction. | 07/15/13 | 2M70011 |
| 2M70002 | SM1 Minor Manual Editorial Change o Minor manual update to MSG() help and line break explanation. | 07/15/13 | 2M70011 |
| 2M70003 | NLS New Function o Added new function to resolve ccsid of a spooled file from its attributes. | 07/15/13 | 2M70013 |
| 2M70004 | SAM Update Processing o Add processing to account for SRCCCSID(*SPLF) | 07/15/13 | 2M70009 |
| 2M70005 | SM1 Update Processing o Add processing to account for SRCCCSID(*SPLF) | 07/15/13 | 2M70034 |
| 2M70006 | SM1 SNDSPLMAIL Enable SRCCCSID(*SPLF) o A new special value, *SPLF, has been added to the coded character set id (SRCCCSID) parameter. When specified, the spooled file's attributes are inspected to determine its CCSID. This is beneficial on systems that support multiple languages. | 07/15/13 | 2M70010 |
| 2M70007 | SM1 Help Update o Help update for SRCCCSID(*SPLF). | 07/15/13 | 2M70011 |
| 2M70008 | TXT New Function o Added processing to optionally blank pad each line to the width of the spooled file. Previously only blank trimmed processing was supported. | 08/23/13 | |
| 2M70009 | SAM Enable New Function o Enable txt blank padding. | 08/23/13 | |
| 2M70010 | SM1 New *TXTTRIMFL Transform Added o New transform *TXTTRIMFL was added. Processing is identical to transform *TXTTRIM, with one exception. Each line is padded with blanks to the full width of the spooled file. | 08/23/13 | |
| 2M70011 | SM1 Panel Update For *TXTTRIMFL o Help and manual updated for *TXTTRIMFL. | 08/23/13 | |
| 2M70012 | SM1 Enable *TXTTRIMFL Extension o Enable default extension for *TXTTRIMFL. | 08/23/13 | 2M70034 |
| 2M70013 | NLS *JOBDFE Incorrectly Resolved o Special value *JOBDFE incorrectly resolved to job ccsid, not job default ccsid. | 08/23/13 | |
| 2M70014 | FNT FGID Height Override Honored | 07/15/13 | 2M70051 |

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 2
 Release : V2R7M0
 As of : 2022-06-03

| <u>PTF ID</u> | <u>Description</u> | <u>Status</u> <u>mm/dd/yy</u> | <u>Superseded</u> <u>By</u> |
|---------------|---|----------------------------------|--------------------------------|
| | <ul style="list-style-type: none"> o For fonts identified by an FGID which has an implied height, height overrides were ignored. Overrides are now applied. | | |
| 2M70015 | PDF No Password Encryption Error <ul style="list-style-type: none"> o Addition of AES256 encryption introduced error when document restrictions specified with no password. The document asks for a password when opened. Error is corrected. | 07/15/13 | 2M70049 |
| 2M70016 | PID RTVGSIPTF Fails At Load/Apply <ul style="list-style-type: none"> o Incorrectly declared variable prevented RTVGSIPTF command from loading and applying PTFs. | 07/15/13 | 2M70042 |
| 2M70017 | SM1 Spooled File Option Example Added <ul style="list-style-type: none"> o An additional example program has been added to SMSOURCE. The example program, SPLSM1OPT, can be registered as an exit program to implement a custom option for IBM's WRKSPLF, WRKOUTQ and WRKJOB OPTION(*SPLF) commands. Any and all SNDSPLMAIL parameters can be tailored to suit. See the source member for details. | 07/15/13 | 2M70018 |
| 2M70018 | SM1 Spooled File Option Example Correct <ul style="list-style-type: none"> o Typographical error corrected in SPLSM1OPT. | 08/23/13 | |
| 2M70019 | FNT DBCS Scalable FGIDs Corrected <ul style="list-style-type: none"> o DBCS fonts identified by FGIDs 53248, 53249 (Japanese), 54563, 54568 (Traditional Chinese), 54565, 54566, 54567, 54568 (Simplified Chinese), and 54560, 53816 (Korean) were incorrectly treated as not scalable, resulting in improper font sizing. | 08/23/13 | 2M70051 |
| 2M70020 | PDF Incorrect Overlay Clipping <ul style="list-style-type: none"> o Objects in overlays were incorrectly clipped to the overlay's extent. This caused missing data on the page in the case where an object extended off the edge of the overlay. | 07/15/13 | 2M70049 |
| 2M70021 | SND Implement *USRPRF: Addressing <ul style="list-style-type: none"> o New special value for email address parameters, *USRPRF, has been added. *USRPRF is used to specify a user profile name that supplies an email address. The correct form is: *USRPRF:NAME where NAME is a user profile. The directory entry associated with the user profile is identified and the email address it | 08/23/13 | 2M70047 |

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 3
 Release : V2R7M0
 As of : 2022-06-03

| <u>PTF ID</u> | <u>Description</u> | <u>Status</u> <u>mm/dd/yy</u> | <u>Superseded</u> <u>By</u> |
|---------------|---|----------------------------------|--------------------------------|
| | contains is used. | | |
| 2M70022 | PDF Occasional Missing Unicode Map <ul style="list-style-type: none"> o Unicode character maps were ommited when the spooled file contained both type 1 and type 3 fonts and only type 3 were imbedded. The The missing cmap rendered the resulting pdf unsearchable. | 07/15/13 | 2M70049 |
| 2M70023 | SUI WRKGSISPLF F5 Position Error <ul style="list-style-type: none"> o Pressing F5=Refresh for a second time on WRKGSISPLF and WRKGSIOUQT panels caused the panel to reposition to the top of the list. The error is corrected. | 08/23/13 | |
| 2M70024 | SUI WRKGSIOUQT F5 Position Error <ul style="list-style-type: none"> o Pressing F5=Refresh for a second time on WRKGSISPLF and WRKGSIOUQT panels caused the panel to reposition to the top of the list. The error is corrected. | 08/23/13 | |
| 2M70025 | PTX Add Unicode Complex Text Control Seq <ul style="list-style-type: none"> o Added processing for new control sequence x6A Unicode Complex Text (UCT). Previously message ID PTX0005 was issued. | 08/23/13 | |
| 2M70026 | PDF Add Unicode Complex Text Control Seq <ul style="list-style-type: none"> o Added processing for new control sequence x6A Unicode Complex Text (UCT). Previously message ID PDF0016 was issued and the conversion failed. | 07/15/13 | 2M70049 |
| 2M70027 | PDF *TRUETYPE Font W/ *EXACT Corrected <ul style="list-style-type: none"> o Imbedding *TRUETYPE fonts with text relative positioning *EXACT or *EXACTMOD produced erroneous results. | 07/15/13 | 2M70049 |
| 2M70028 | PDF Map Unicode Complex Text To Builtin <ul style="list-style-type: none"> o Added mapping for new control sequence x6A Unicode Complex Text (UCT) to Adobe's built in fonts when the code points used are found in the available charater set and font imbedding is not specified. | 08/23/13 | 2M70049 |
| 2M70029 | RTF Support Additional Microsoft CS/CP <ul style="list-style-type: none"> o RTF output enhanced to support additional CCSIDs. The new support and associated Microsoft character sets and codepages: Trg Microsoft Microsoft CCSID Character Set Code Page | 08/23/13 | |

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 5
 Release : V2R7M0
 As of : 2022-06-03

| <u>PTF ID</u> | <u>Description</u> | <u>Status</u> <u>mm/dd/yy</u> | <u>Superseded</u> <u>By</u> |
|---------------|--|----------------------------------|--------------------------------|
| 2M70037 | FNT Reissue Service Program o Service program recompiled and reissued. | 12/19/15 | 2M70051 |
| 2M70038 | PDF Reissue Service Program o Service program recompiled and reissued. | 12/19/15 | 2M70049 |
| 2M70039 | SND Attachment Name With M\$ "\" o Attachment file name incorrect when object specified using window path separator character ("\") instead of IFS path separator character ("/"). | 01/18/16 | 2M70047 |
| 2M70040 | PDF Intelligent Mail BARCODE Error o Incorrect data in an internal Intelligent Mail table resulted in invalid barcodes being generated something like 1.5% of the time. | 10/05/16 | 2M70049 |
| 2M70041 | PID Message File Updates o Add new application messages to message file for future enhancement. | 10/09/17 | |
| 2M70042 | PID Upgrade RTVGSIPTF Command o Previously, the Retrieve Gumbo PTF (RTVGSIPTF) command downloaded PTFs using the FTP protocol. Now RTVGSIPTF uses HTTP. Additionally, RTVGSIPTF can access the PTF server through a proxy server, if required by your network, using the new PROXY() parameter. . We anticipate that some installations' networks will have problems accessing the PTF server over HTTP. On a temporary basis, RTVGSIPTF has introduced a PROTOCOL() parameter that allows you to switch back to the old FTP behavior while correcting problems with HTTP service. This parameter will ultimately be removed along with support for FTP as a transport mechanism. . COMPATIBILITY WARNING . HTTP is now the default protocol for PTF retrieval. If your network restricts HTTP access or if a proxy is required for HTTP access the RTVGSIPTF command will fail. If a proxy is required you must fill in the PROXY() parameter. Otherwise you will have to specify PROTOCOL(*FTP) while you resolve | 10/10/17 | |

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. Page 6
 Release : V2R7M0
 As of : 2022-06-03

| <u>PTF ID</u> | <u>Description</u> | <u>Status</u> <u>mm/dd/yy</u> | <u>Superseded</u> <u>By</u> |
|---------------|--|----------------------------------|--------------------------------|
| 2M70043 | problems with HTTP access on your network. PID Update Field Fix Manager o Added field fix manager processing to delete resolved font resource users spaces, if requested by a PTF, in order to force regeneration. | 08/24/18 | |
| 2M70044 | FNT Remove Typel Marker Fields o Type 1 font resolution now strips marker fields from the font program resulting in a pure pfb. This resolves a complaint from more recent PDF/A validators such as veraPDF, . NOTE: Previously resolved font resources are moved to QRPLOBJ during application of this PTF in order to force their recreation. | 08/24/18 | 2M70051 |
| 2M70045 | PDF A PDF/A Validator Complains o Some PDF/A validators complain that "The XMP property 'xmp:CreateDate' is not synchronized with the document information entry 'CreationDate'." Code was changed to avoid the less liberal interpretation. | 08/24/18 | 2M70049 |
| 2M70046 | IFS New Export Added o New function to open (create) a file based on CCSID instead of CPGID added. This facilitates control over the created file's CCSID attribute. | 11/06/18 | |
| 2M70047 | SND File Open Change o Now uses IfsOpenCcsid(). | 11/06/18 | |
| 2M70048 | PDF C/J/K SBCS Conversion Corrected o C/J/K SBCS CCSIDs now converted correctly and presented with Adobe Asian Fonts. | 09/27/19 | 2M70049 |
| 2M70049 | PDF C/J/K DBCS COR Font Sizing o C/J/K DBCS fonts were too large after COR was applied and overlapped vertically. Sizing is corrected and overlap removed. | 10/03/19 | |
| 2M70050 | FNT Font Table Update/DBCS Default o Removed definition for font X0ABCD from internal font tables. This was an old work around that is no longer needed and gives incorrect results in some instances. o X0ABCD no longer used as a default font. | 10/09/19 | 2M70051 |
| 2M70051 | FNT Multiple Messages Avoided | 10/30/19 | |

(continued)

Product ID : 2A55SM1 SpoolMail - Gumbo Software, Inc. **Page** 7
Release : V2R7M0
As of : 2022-06-03

| <u>PTF ID</u> | <u>Description</u> | <u>Status</u> <u>mm/dd/yy</u> | <u>Superseded</u> <u>By</u> |
|---------------|---|----------------------------------|--------------------------------|
| | o We were issuing diagnostic messages for each page when a spooled file speicified a non-standard coded font and the coded font could not be found on the system. Messages are now only issued once per spooled file. | | |
| | * * * * * | | |
| | E n d O f L i s t * * * * * | | |

